




Price list 2021 Residential Range

- Dehumidifiers
- Dehumidifiers with heat recovery
- Heat recovery units
- Air distribution accessories
- Jonix sanitization



General sales conditions

The prices indicated have to be considered as Ex Works.

For specific and/or special quotations, please contact our Sales Dept.

Lead times have to be agreed, together with special conditions, when the order is placed.

Ordered products can be collected the following day if they are in stock.


Products can only be collected in the afternoon. For special necessities, please arrange the times when ordering.

Orders of below €200.00, net price, will not be handled.

Standard warranty: 12 months from the invoicing.

For any further information feel free to contact our Depts.

RER – Radiant system dehumidifiers with air renewal and high efficiency heat recovery system



Dehumidifier with high-efficiency heat recovery system, thought for usage in radiant cooling buildings, where dehumidification is not enough and a renewal air system is also required. Three versions available:

- Version A: neutral air (isothermal)
- Version I: with cold integration
- Version W: water version (hydraulic)

RER 015 A / I / W

Model		RER 015		
		Version A	Version I	Version W
Technical data				
Efficiency Rate*		A/A+		
Dehumidifying capacity	L/day	16		18
Nominal air flow	m ³ /h	160		
Fresh air flow	m ³ /h	0 – 80		
Available static pressure	Pa	200		
Heat recovery efficiency	%	>90%		
Cooling power	Watt	Isothermal	800	1170
Sound level	dB(A)	37		36
Power supply	V/ph/Hz	230/1+N/50		
Dimensions	mm	960 x 610 x 250		
Weight	Kg	50		40
Price List		4.893,00 €	5.376,00 €	4.389,00 €

* To get the efficiency rate A+, the heat recovery should be equipped with the advanced control and (at least) one probe (humidity or CO₂), see the options and accessories chart.

RER 020 A / I / W

Model		RER 020		
Technical data		Version A	Version I	Version W
Efficiency rate*		A/A+		
Dehumidifying capacity	L/day	24,5		29
Nominal air flow	m ³ /h	260		
Fresh air flow	m ³ /h	0 – 130		
Available static pressure	Pa	170		
Heat recovery efficiency	%	>90%		
Cooling power	Watt	Isothermal	1300	1920
Sound level	dB(A)	39		38
Power supply	V/ph/Hz	230/1+N/50		
Dimensions	mm	1125 x 730 x 250		
Weight	Kg	60		50
Price List		5.481,00 €	6.027,00 €	4.914,00 €

RER 035 A / I / W

Model		RER 035		
Technical data		Version A	Version I	Version W
Efficiency Rate*		A/A+		
Dehumidifying capacity	L/day	34		40
Nominal air flow	m ³ /h	380		
Fresh air flow	m ³ /h	0 – 190		
Available static pressure	Pa	190		
Heat recovery efficiency	%	>90%		
Cooling power	Watt	Isothermal	1790	2650
Sound level	dB(A)	42		40
Power supply	V/ph/Hz	230/1+N/50		
Dimensions	mm	1125 x 730 x 300		
Weight	Kg	70		60
Price List		6.954,00 €	7.571,00 €	6.326,00 €

* To get the efficiency rate A+, the heat recovery should be equipped with the advanced control and (at least) one probe (humidity or CO2), see the options and accessories chart.

RER 050 A / I / W


Model		RER 050		
Technical data		Version A	Version I	Version W
Efficiency Rate*		A/A+		
Dehumidifying capacity	L/day	48		58
Nominal air flow	m ³ /h	520		
Fresh air flow	m ³ /h	0 – 260		
Available static pressure	Pa	170		
Heat recovery efficiency	%	>90%		
Cooling power	Watt	Isothermal	3230	3650
Sound level	dB(A)	44		43
Power supply	V/ph/Hz	230/1+N/50		
Dimensions	mm	1545 x 810 x 375		
Weight	Kg	80		70
Price List		8.358,00 €	9.035,00 €	7.676,00 €

RER 100 A / I / W

Model		RER 100		
Technical data		Version A	Version I	Version W
Efficiency Rate*		A/A+		
Dehumidifying capacity	L/day	100		120
Nominal air flow	m ³ /h	1000		
Fresh air flow	m ³ /h	0 – 500		
Available static pressure	Pa	160		
Heat recovery efficiency	%	>90 %		
Cooling power	Watt	Isothermal	6800	7700
Sound level	dB(A)	47		44
Power supply	V/ph/Hz	230 / 1+N / 50		
Dimensions	mm	1490 x 965 x 450		
Weight	Kg	140		130
Price List		12.842,00 €	13.881,00 €	12.243,00 €

* To get the efficiency rate A+, the heat recovery should be equipped with the advanced control and (at least) one probe (humidity or CO2), see the options and accessories chart.

Options & Accessories RER



Option	Code	015	020	035	050	100
	Advanced user terminal complete with temperature and humidity probes	Included	Included	Included	Included	Included
Additional display RER-REV	41KA000357	368,00 €				
External air dampers for dew-point control *		525,00 €	525,00 €	525,00 €	567,00 €	861,00 €
Free cooling * ⁽¹⁾		441,00 €	441,00 €	462,00 €	483,00 €	504,00 €
High efficiency air filter set * Recirculation, Class ISO Coarse 90% (G4) Extraction, Class ISO Coarse 70% (G2) Renewal, Class ISO ePM ₁₀ 60% (F6)		126,00 €	142,00 €	153,00 €	169,00 €	202,00 €
Cable for display connection L. 5 m	41KA000169	90,00 €	90,00 €	90,00 €	90,00 €	90,00 €
Cable for display connection L. 10 m	41KA000170	116,00 €	116,00 €	116,00 €	116,00 €	116,00 €
Cable for display connection L. 20 m	41KA000171	168,00 €	168,00 €	168,00 €	168,00 €	168,00 €
Additional temperature and humidity probes on board * (Mandatory in case of user terminal not installed in the ambience)	41KA000167	137,00 €	137,00 €	137,00 €	137,00 €	137,00 €
CO ₂ probe, installed in the ambience*	41KA000172	698,00 €	698,00 €	698,00 €	698,00 €	698,00 €
Recovery automatic defrost, or outdoor air temperature lower than -5°C *	41KA000168	137,00 €	137,00 €	137,00 €	137,00 €	137,00 €
RS485 serial port *		Included	Included	Included	Included	Included
Silent version with insulation of the compressor vain (version A/I) *		82,00 €	87,00 €	110,00 €	137,00 €	196,00 €
Temperature control function with adjustable supply *		317,00 €	317,00 €	317,00 €	317,00 €	317,00 €
Kit modulation supply temperature control including: supply temperature sensor, transformer, water valve with servomotor *		1.136,00 €	1.136,00 €	1.136,00 €	1.266,00 €	1.414,00 €

N.B. Codes with * will be included in our machine's code.






⁽¹⁾ Option not available in combination with "Temperature control function with adjustable supply" and "Kit modulation supply temperature control"

Option	Code	015	020	035	050	100
Replacement standard air filters Recirculation, Class ISO Coarse 70% (G2) Extraction, Class ISO Coarse 70% (G2) Renewal, Class ISO Coarse 70% (G2)	41KA000341	126,00 €	/	/	/	/
	41KA000098	/	142,00 €	/	/	/
	41KA000340	/	/	153,00 €	/	/
	41KA000084	/	/	/	169,00 €	/
Replacement high efficiency air filters Recirculation, Class ISO Coarse 90% (G4) Extraction, Class ISO Coarse 70% (G2) Renewal, Class ISO ePM ₁₀ 60% (F6)	41KA000273	/	/	/	/	202,00 €
	41KA000342	147,00 €	/	/	/	/
	41KA000197	/	165,00 €	/	/	/
	41KA000314	/	/	180,00 €	/	/
	41KA000198	/	/	/	196,00 €	/
41KA000274	/	/	/	/	231,00 €	
Wooden cage*		231,00 €	247,00 €	260,00 €	292,00 €	495,00 €

N.B. Codes with * will be included in our machine's code.

Option	Code	020	035	050	100	
Kit for conical supply plenums in galvanized steel, with thermal insulation and sound absorber:						
	Kit supply plenum Ø 125 mm	41KA000021	205,00 €	/	/	/
	Kit supply plenum Ø 160 mm (Suggested for RER 020)	41KA000026	205,00 €	/	/	/
	JONIX Sanitizing kit JR 020	41KA000512	1.250,00 €	/	/	/
	Kit supply plenum Ø 160 mm	41KA000383	/	236,00 €	/	/
	Kit supply plenum Ø 180 mm	41KA000322	/	236,00 €	/	/
	Kit supply plenum Ø 200 mm (Suggested for RER 035)	41KA000323	/	236,00 €	/	/
	JONIX Sanitizing kit JR 035	41KA000514	/	1.806,00 €	/	/
	Kit supply plenum Ø 160 mm	41KA000022	/	/	268,00 €	/
	Kit supply plenum Ø 180 mm	41KA000192	/	/	268,00 €	/
	Kit supply plenum Ø 200 mm	41KA000050	/	/	268,00 €	/
	Kit supply plenum Ø 250 mm (Suggested for RER 050)	41KA000508	/	/	268,00 €	/
JONIX Sanitizing kit JR 050	41KA000515	/	/	1.806,00 €	/	
   	Supply plenum with 2 nozzles Ø 125 mm	41KA000003	185,00 €	/	/	/
	Supply plenum with 3 nozzles Ø 125 mm	41KA000004	207,00 €	/	/	/
	Supply plenum with 4 nozzles Ø 125 mm	41KA000007	223,00 €	/	/	/
	Supply plenum with 2 nozzles Ø 150 mm	41KA000001	185,00 €	/	/	/
	Supply plenum with 3 nozzles Ø 150 mm	41KA000005	207,00 €	/	/	/
	Supply plenum with 4 nozzles Ø 150 mm	41KA000070	223,00 €	/	/	/
	Supply plenum with 2 nozzles Ø 160 mm	41KA000113	185,00 €	/	/	/
	Supply plenum with 3 nozzles Ø 160 mm	41KA000114	207,00 €	/	/	/
	Supply plenum with 4 nozzles Ø 160 mm	41KA000115	223,00 €	/	/	/
	JONIX Sanitizing kit JR 020	41KA000512	1.250,00 €	/	/	/
	Supply plenum with 3 nozzles Ø 125 mm	41KA000528	/	207,00 €	/	/
	Supply plenum with 4 nozzles Ø 125 mm	41KA000529	/	223,00 €	/	/
	Supply plenum with 2 nozzles Ø 160 mm	41KA000530	/	185,00 €	/	/
	Supply plenum with 3 nozzles Ø 160 mm	41KA000531	/	207,00 €	/	/
	Supply plenum with 4 nozzles Ø 160 mm	41KA000532	/	223,00 €	/	/
	JONIX Sanitizing kit JR 035	41KA000514	/	1.806,00 €	/	/
	Supply plenum with 2 nozzles Ø 180 mm	41KA000013	/	/	246,00 €	/
	Supply plenum with 3 nozzles Ø 180 mm	41KA000071	/	/	268,00 €	/
	Supply plenum with 4 nozzles Ø 180 mm	41KA000033	/	/	290,00 €	/
	JONIX Sanitizing kit JR 050	41KA000515	/	/	1.806,00 €	/

Option	Code	020	035	050	100
	Supply plenum with 2 nozzles Ø 250 mm (Suggested for RER 100) 41KA000296	/	/	/	260,00 €
	JONIX Sanitizing kit JR 100 41KA000516	/	/	/	2.930,00 €
	Recovery plenum with 1 nozzles Ø 180 mm 41KA000324	/	214,00 €	/	/
	Recovery plenum with 1 nozzles Ø 200 mm 41KA000325	/	214,00 €	/	/
	Recovery plenum with 2 nozzles Ø 180 mm 41KA000015	/	/	246,00 €	/
	Recovery plenum with 2 nozzles Ø 250 mm 41KA000329	/	/	/	260,00 €
	Supply plenum with 6 PP nozzles Ø63 (for pipes Ø 75) 41KA000572	244,00 €	/	/	/
	Supply plenum with 6 PP nozzles Ø75 (for pipes Ø 90) 41KA000573	259,00 €	/	/	/
	JONIX Sanitizing kit JR 020 41KA000512	1.250,00 €	/	/	/
	Supply plenum with 8 PP nozzles Ø63 (for pipes Ø 75) 41KA000574	/	285,00 €	/	/
	Supply plenum with 8 PP nozzles Ø75 (for pipes Ø 90) 41KA000575	/	285,00 €	/	/
	JONIX Sanitizing kit JR 035 41KA000514	/	1.806,00 €	/	/
	Wall mounted plenum, Ø125, for 200 x 200 grille 41KA000240	133,00 €	133,00 €	/	/
	Wall mounted plenum, Ø160, for grille 200 x 200 mm 41KA000251	147,00 €	147,00 €	/	/
	Aluminium grille 200x200mm 41KA000241	49,00 €	49,00 €	/	/
	Aluminium grille 200x200mm, RAL 9010 41KA000242	55,00 €	55,00 €	/	/
	Varnished grille 200x200mm, RAL 9010 41KA000252	49,00 €	49,00 €	/	/
	Grille 200x200mm, in INOX 41KA000253	82,00 €	82,00 €	/	/
	Wall mounted plenum, Ø180, for grille 300 x 300 mm 41KA000378	/	/	177,00 €	/
	Aluminium grille 300x300 mm 41KA000379	/	/	62,00 €	/
	Aluminium grille 300x300 mm, RAL 9010 41KA000380	/	/	103,00 €	/
	Varnished grille 300x300mm, RAL 9010 41KA000381	/	/	110,00 €	/
Grille 300x300 mm, in INOX 41KA000382	/	/	156,00 €	/	

Option	Code	020	035	050	100
	External air plenum 2 nozzles Ø 250 mm 41KA000330	/	/	/	290,00 €
	Extraction flange Ø 250 mm 41KA000289	/	/	/	95,00 €
	Flange for canalization 41KA000206	/	/	/	126,00 €
	Aluminium grille 400x200 mm 41KA000238	82,00 €			164,00 € 2 pz.
	Aluminium grille 400x200mm, RAL 9010 41KA000239	90,00 €			180,00 € 2 pz.
	Reduction Ø 160mm male, Ø 180mm female 41KA000116	/	76,00 €	76,00 €	/
	Reduction Ø 200mm male, Ø 180mm female 41KA000117	/	82,00 €	82,00 €	/

Accessories for air sanitization






Jonix technology is based on oxidation induced in the air by gas-plasma or low temperature cold plasma; it exploits the microbicidal action of a mixture of ionizing gases composed of a large quantity of charged particles, such as ions or electrons, reactive oxygen species, molecules and neutral atoms. The Jonix system does not use any chemical substance, but uses the electric current to sanitize the air that is present in the environment to be treated.

In the healthcare field, the gas-plasma methodology is the most advanced for sterilization and is used on medical-surgical devices.


The simplicity and versatility of Jonix technology makes it possible to apply this solution to many applications where the sanitization of objects and surfaces is necessary, so as to eliminate micro-organisms dangerous to health, which may have deposited on them.

This effect makes this technology useful in many areas where health and hygiene aspects are as important as in the biomedical field, in the food industry, in the home, in the field of wastewater treatment and waste treatment, in the field industrial in general or in any area where VOC abatement (volatile organic compounds) is required. The products offered by HiDew consist of plenums, differentiated according to the sanitized air flow rate, to be installed on the supply air channels.


Description	Code		Price List
<p>JR 020</p>  <p>for air flow up to 260 mc / h (1 generator)</p>	Inlet/outlet connections, rectangular	41KA000512	1.250,00 €
	Inlet/outlet connections, Ø 125 mm	41KA000534	
	Inlet/outlet connections, Ø 160 mm	41KA000486	
	Inlet/outlet connections, Ø 180 mm	41KA000517	
	Inlet/outlet connections, Ø 200 mm	41KA000518	
<p>JR 035</p>  <p>for air flow up to 380 mc / h (2 generator)</p>	Inlet/outlet connections, rectangular	41KA000513	1.806,00 €
	Inlet/outlet connections, Ø 160 mm	41KA000523	
	Inlet/outlet connections, Ø 180 mm	41KA000519	
<p>JR 050</p>  <p>for air flow up to 520 mc / h (2 generator)</p>	Inlet/outlet connections, rectangular	41KA000515	1.806,00 €
	Inlet/outlet connections, Ø 180 mm	41KA000521	
	Inlet/outlet connections, Ø 200 mm	41KA000522	
	Inlet/outlet connections, Ø 250 mm	41KA000507	
<p>JR 100</p>  <p>for air flow up to 1000 mc / h (1 generator, length 50 cm)</p>	Inlet/outlet connections, rectangular	41KA000516	2.930,00 €
	Inlet/outlet connections, 2 x Ø 250 mm	41KA000489	


Description	Code	Price List
	Display for autonomous control, with 2 m of connection cable 41KA000546	368,00 €
Cable for display connection L. 5 m	41KA000169	90,00 €
Cable for display connection L. 10 m	41KA000170	116,00 €
Cable for display connection L. 20 m	41KA000171	168,00 €
	Replacement kit for generators, 2 pieces (JR 020, JR 050) 41KA000547	452,00 €
	Replacement kit for generators, 1 piece, 50 cm (JR 100) 41KA000548	735,00 €

Supply and recovery air plenums ceiling mounting

Description	Code		Price List
<p>Supply and recovery galvanized steel air plenums, with internal insulation, sound absorbent and thermal insulated with circular connections</p>  <p><i>(all the secondary connections are manufactured in PP)</i></p>	8 connections Ø 63mm for pipes 75 1 connection Ø 125 mm	41KA000576	293,00 €
	8 connections Ø 63mm for pipes 75 1 connection Ø 160 mm	41KA000577	293,00 €
	8 connections Ø 63mm for pipes 75 1 connection Ø 180 mm	41KA000578	296,00 €
	8 connections Ø 63mm for pipes 75 1 connection Ø 200 mm	41KA000579	306,00 €
	8 connections Ø 75mm for pipes 90 1 connection Ø 125 mm	41KA000580	293,00 €
	8 connections Ø 75mm for pipes 90 1 connection Ø 160 mm	41KA000581	293,00 €
	8 connections Ø 75mm for pipes 90 1 connection Ø 180 mm	41KA000582	296,00 €
	8 connections Ø 75mm for pipes 90 1 connection Ø 200 mm	41KA000583	306,00 €
	12 connections Ø 63mm for pipes 75 1 connection Ø 125 mm	41KA000584	351,00 €
	12 connections Ø 63mm for pipes 75 1 connection Ø 160 mm	41KA000585	351,00 €
	12 connections Ø 63mm for pipes 75 1 connection Ø 180 mm	41KA000586	354,00 €
	12 connections Ø 63mm for pipes 75 1 connection Ø 200 mm	41KA000587	364,00 €
	12 connections Ø 75mm for pipes 90 1 connection Ø 125 mm	41KA000588	351,00 €
	12 connections Ø 75mm for pipes 90 1 connection Ø 160 mm	41KA000589	351,00 €
	12 connections Ø 75mm for pipes 90 1 connection Ø 180 mm	41KA000590	354,00 €
	12 connections Ø 75mm for pipes 90 1 connection Ø 200 mm	41KA000591	364,00 €

Supply and recovery air plenums

Descrizione	Codice articolo		Listino
<p>Supply and recovery galvanized steel air plenums, with internal insulation, sound absorbent and thermal insulated with circular connections</p>  <p><i>(all the secondary connections are manufactured in PP)</i></p>	6 connections Ø 63mm for pipes 75 1 connection Ø 125 mm	41KA000658	195,00 €
	6 connections Ø 63mm for pipes 75 1 connection Ø 160 mm	41KA000656	195,00 €
	6 connections Ø 75mm for pipes 90 1 connection Ø 125 mm	41KA000659	195,00 €
	6 connections Ø 75mm for pipes 90 1 connection Ø 160 mm	41KA000657	195,00 €
	8 connections Ø 63mm for pipes 75 1 connection Ø 125 mm	41KA000592	293,00 €
	8 connections Ø 63mm for pipes 75 1 connection Ø 160 mm	41KA000593	293,00 €
	8 connections Ø 63mm for pipes 75 1 connection Ø 180 mm	41KA000594	296,00 €
	8 connections Ø 63mm for pipes 75 1 connection Ø 200 mm	41KA000595	306,00 €
	8 connections Ø 75mm for pipes 90 1 connection Ø 125 mm	41KA000596	293,00 €
	8 connections Ø 75mm for pipes 90 1 connection Ø 160 mm	41KA000597	293,00 €
	8 connections Ø 75mm for pipes 90 1 connection Ø 180 mm	41KA000598	296,00 €
	8 connections Ø 75mm for pipes 90 1 connection Ø 200 mm	41KA000599	306,00 €
	12 connections Ø 63mm for pipes 75 1 connection Ø 125 mm	41KA000600	351,00 €
	12 connections Ø 63mm for pipes 75 1 connection Ø 160 mm	41KA000601	351,00 €
	12 connections Ø 63mm for pipes 75 1 connection Ø 180 mm	41KA000602	354,00 €
	12 connections Ø 63mm for pipes 75 1 connection Ø 200 mm	41KA000603	364,00 €
	12 connections Ø 75mm for pipes 90 1 connection Ø 125 mm	41KA000604	351,00 €
	12 connections Ø 75mm for pipes 90 1 connection Ø 160 mm	41KA000605	351,00 €
12 connections Ø 75mm for pipes 90 1 connection Ø 180 mm	41KA000606	354,00 €	
12 connections Ø 75mm for pipes 90 1 connection Ø 200 mm	41KA000607	364,00 €	

Description	Code		Price List
<p>Supply and recovery galvanized steel air plenums, with internal insulation, sound absorbent and thermal insulated with circular connections</p>  <p><i>(all the secondary connections are manufactured in PP)</i></p>	16 connections Ø 63mm for pipes 75 1 connection Ø 180 mm	41KA000608	375,00 €
	16 connections Ø 63mm for pipes 75 1 connection Ø 200 mm	41KA000609	380,00 €
	16 connections Ø 63mm for pipes 75 1 connection Ø 250 mm	41KA000610	391,00 €
	16 connections Ø 75mm for pipes 90 1 connection Ø 180 mm	41KA000611	375,00 €
	16 connections Ø 75mm for pipes 90 1 connection Ø 200 mm	41KA000612	380,00 €
	16 connections Ø 75mm for pipes 90 1 connection Ø 250 mm	41KA000613	391,00 €

Silencer

Description	Code		Price List
<p>Silenced plenum for air supply and recovery in galvanized steel, with internal insulation, sound absorbent and thermal insulated, with circular connections</p>  <p><i>(all the secondary connections are manufactured in PP)</i></p>	12 connections Ø 63mm for pipes 75 1 connection Ø 125mm L 1 m	41KA000614	477,00 €
	12 connections Ø 63mm for pipes 75 1 connection Ø 160mm L 1 m	41KA000615	524,00 €
	12 connections Ø 63mm for pipes 75 1 connection Ø 180mm L 1 m	41KA000616	582,00 €
	12 connections Ø 63mm for pipes 75 1 connection Ø 200mm L 1 m	41KA000617	608,00 €
	12 connections Ø 75mm for pipes 90 1 connection Ø 125mm L 1 m	41KA000618	477,00 €
	12 connections Ø 75mm for pipes 90 1 connection Ø 160mm L 1 m	41KA000619	524,00 €
	12 connections Ø 75mm for pipes 90 1 connection Ø 180mm L 1 m	41KA000620	582,00 €
	12 connections Ø 75mm for pipes 90 1 connection Ø 200mm L 1 m	41KA000621	608,00 €
	16 connections Ø 63mm for pipes 75 1 connection Ø 250mm L 1,1 m	41KA000622	627,00 €
	16 connections Ø 75mm for pipes 90 1 connection Ø 250mm L 1,1 m	41KA000623	627,00 €
<p>High performance silencer for connection with flexible pipes</p> 	Dim. mm 200 x 200 x L. 1000 Ø 125mm	41KA000160	328,00 €
	Dim. mm 240 x 240 x L. 1000 Ø 160mm	41KA000161	394,00 €
	Dim. mm 280 x 280 x L. 1000 Ø 180mm	41KA000162	459,00 €
	Dim. mm 280 x 280 x L. 1000 Ø 200mm	41KA000193	491,00 €
	Dim. mm 330 x 330 x L.1000 Ø 250mm	41KA000287	523,00 €

Wall and ceiling plenums

Description	Code	Price List
Wall plenum kit for grille design 3, L.400mm, lowered		
 <p>(all the secondary connections are manufactured in PP)</p>	L.400mm, 1 connection for pipe Ø 63/75mm	41KA000624 158,00 €
	L.400mm, 1 connection for pipe Ø 75/90mm	41KA000625 158,00 €
	L.400mm, 2 connections for pipe Ø 63/75mm	41KA000626 158,00 €
	L.400mm, 2 connections for pipe Ø 75/90mm	41KA000627 158,00 €
	L.600mm, 2 connections for pipe Ø 63/75mm	41KA000628 198,00 €
	L.600mm, 2 connections for pipe Ø 75/90mm	41KA000629 198,00 €
	L.600mm, 3 connections for pipe Ø 63/75mm	41KA000630 231,00 €
	L.600mm, 3 connections for pipe Ø 75/90mm	41KA000631 231,00 €
Reversible ABS plenums (in line and 90 degrees installation), height adjustable from 0 mm to 50 mm		
 <p>(For grille L x H: 300 x 100 mm) (Brackets not included)</p>	Plenum ABS 300L rev. 1-2 connection 63mm (tube Ø 75 mm) * 41KA000551	72,00 €
	Plenum ABS 300L rev.1-2 connection 75mm (tube Ø 90 mm) * 41KA000552	
 <p>(For grille L x H: 400 x 100 mm) (Brackets not included)</p>	Plenum ABS 400L rev.3 connection 63mm (tube Ø 75 mm) * 41KA000553	97,00 €
	Plenum ABS 400L rev.3 connection 75mm (tube Ø 90 mm) * 41KA000554	
	Plenum closure L x H: 300 x 100 mm HD55000073	13,00 €
	Plenum closure L x H: 400 x 100 mm HD55000074	16,00 €
	Plenum bracket couple, for height adjustment* between the ceiling and countertop: - Minimum height 90 mm - Maximum height 300 mm 41KA000545	35,00 €

Supply air grilles

Description	Code	Price List
Supply air grilles with a sophisticated design, to be combined with plenums:		
	Aluminium grille L 300mm	41KA000124 40,00 €
	Aluminium grille L. 400mm	41KA000125 47,00 €
	Grille in RAL 9010 L.300mm	41KA000228 53,00 €
	Grille in RAL 9010 L.400mm	41KA000229 62,00 €
	Glazed steel grille L.300mm	41KA000073 70,00 €
	Glazed steel grille L.400mm	41KA000074 79,00 €
	Grille design 0, L.300mm, RAL 9010	41KA000219 38,00 €
	Grille design 0, L.400mm, RAL 9010	41KA000220 44,00 €
	Grille design 1, L.300mm, RAL 9010	41KA000245 38,00 €
	Grille design 1, L.400mm, RAL 9010	41KA000249 47,00 €
	Grille design 2, L.300mm, RAL 9010	41KA000246 50,00 €
	Grille design 2, L.400mm, RAL 9010	41KA000250 63,00 €
	Grille design 3, L.400mm, lowered RAL 9010	41KA000247 63,00 €
	Grille design 3, L.600mm, lowered RAL 9010	41KA000267 88,00 €
	External grille in INOX	41KA000243 152,00 €
	External grille in INOX (RER 100)	41KA000290 168,00 €

Recovery air grilles with filter

Description	Code	Price List
Recovery air grilles with a sophisticated design, complete with filters to be combined with plenums:		
	Aluminium grille L.300mm with filter	41KA000254 65,00 €
	Aluminium grille L.400mm with filter	41KA000255 69,00 €
	Grille in RAL 9010 L.300mm with filter	41KA000429 86,00 €
	Grille in RAL 9010 L.400mm with filter	41KA000450 101,00 €
	Glazed steel grille L.300mm with filter	41KA000256 95,00 €
	Glazed steel grille L.400mm with filter	41KA000257 104,00 €
	Grille design 0, L.300mm, RAL 9010 with filter	41KA000264 63,00 €
	Grille design 0, L.400mm, RAL 9010 with filter	41KA000265 69,00 €
	Grille design 1, L.300mm, RAL 9010 with filter	41KA000258 63,00 €
	Grille design 1, L.400mm, RAL 9010 with filter	41KA000261 74,00 €
	Grille design 2, L.300mm, RAL 9010 with filter	41KA000259 76,00 €
	Grille design 2, L.400mm, RAL 9010 with filter	41KA000262 88,00 €
	Grille design 3, L.400mm, lowered, RAL 9010 with filter	41KA000260 88,00 €
	Grille design 3, L.600mm, lowered, RAL 9010 with filter	41KA000268 120,00 €
	External grill in INOX with filter	41KA000263 184,00 €
	External grill in INOX with filter (RER 100)	41KA000294 200,00 €

Description	Code	Price List
<p>"T" plenum in galvanized steel, with internal insulation, sound absorbent and thermal insulated with circular connection, available in the following diameters, for connection with flexible pipes:</p>		
	3 connections Ø 125mm	41KA000143
	3 connections Ø 160mm	41KA000144
	3 connections Ø 180mm	41KA000145
	3 connections Ø 200mm	41KA000146
<p>318,00 €</p> <p>321,00 €</p> <p>331,00 €</p>		
<p>Water coil ducted in galvanized steel with thermal insulation and sound absorbent, complete with drain box for the condensation discharge:</p>		
	1 connection Ø 125mm(air flow 250 m ³ /h)	41KA000091
	1 connection Ø 160mm(air flow 250 m ³ /h)	41KA000092
	1 connection Ø 180mm(air flow 250 m ³ /h)	41KA000075
	1 connection Ø 160mm(air flow 500 m ³ /h)	41KA000028
	1 connection Ø 180mm(air flow 500 m ³ /h)	41KA000029
	1 connection Ø 200mm(air flow 500 m ³ /h)	41KA000093
<p>863,00 €</p> <p>978,00 €</p>		
<p>Supply and recovery plenums for ceiling, in galvanized steel, with thermal insulation and sound absorbent:</p>		
 (supply / extraction Ø 125 mm)	1 connection PP 63 mm (pipe Ø 75 mm)	41KA000632
	1 connection PP 75 mm (pipe Ø 90 mm)	41KA000633
<p>112,00 €</p> <p>112,00 €</p>		
 (supply / extraction Ø 125 mm)	2 connections PP 63 mm (pipe Ø 75 mm)	41KA000634
	2 connections PP 75 mm (pipe Ø 90 mm)	41KA000635
<p>129,00 €</p> <p>129,00 €</p>		
	Ventilation valve for air recovery with adjustable jet Ø 125 mm	41KA000126
<p>20,00 €</p>		
<p>Flange for inlet/outlet of fresh air, for connection with flexible pipes diam. 125/160/180/200/250 mm:</p>		
	Flange Ø 125 mm	41KA000147
	Flange Ø 160 mm	41KA000148
	Flange Ø 180 mm	41KA000149
	Flange Ø 200 mm	41KA000150
	Flange Ø 250 mm	41KA000289
<p>66,00 €</p> <p>71,00 €</p> <p>87,00 €</p> <p>95,00 €</p>		

Pipes

Description	Code		Price List
Flexible pipes with thermo-insulation and polyester mattress:			
 <p data-bbox="263 813 406 840">Lot of 10 m</p>	Pipe diam. mm 125	HD55000023	18,50 € / m
	Pipe diam. mm 160	HD55000024	20,50 € / m
	Pipe diam. mm 180	HD55000026	25,00 € / m
	Pipe diam. mm 200	HD55000025	27,00 € / m
	Pipe diam. mm 250	HD55000040	33,50 € / m
Antimicrobial, antistatic and self-extinguishing polyethylene pipe			
 <p data-bbox="263 1328 406 1355">Lot of 50 m</p>	Diameter internal 63mm / external 75mm	HD55000022	4,80 € / m
	Diameter internal 75mm / external 90mm	HD55000039	6,90 € / m
Accessories for antimicrobial, antistatic and self-extinguishing polyethylene pipe			
	Pipe connection Ø int. 63mm / Øest. 75mm	HD55000035	4,70 €
	Pipe connection Ø int. 75mm / Øest. 90mm	HD55000077	5,00 €

HiDew
Dehumidifiers 