



## Price list 2021 Residential Range

- Dehumidifiers
- Dehumidifiers with heat recovery
- Heat recovery units
- Air distribution accessories
- Jonix sanitization





## *General sales conditions*

*The prices indicated have to be considered as Ex Works.*

*For specific and/or special quotations, please contact our Sales Dept.*

*Lead times have to be agreed, together with special conditions, when the order is placed.*

*Ordered products can be collected the following day if they are in stock.*



*Products can only be collected in the afternoon. For special necessities, please arrange the times when ordering.*

*Orders of below €200.00, net price, will not be handled.*

*Standard warranty: 12 months from the invoicing.*

*For any further information feel free to contact our Depts.*

## AER – All-air system for passive houses with heat recovery




Highly efficient horizontal and vertical mechanical ventilation system to maintain both the energy performance levels of the building and the quality of the indoor air.

Our AER series models guarantee good air quality in the rooms, in addition to the essential air exchange in the building, reducing consumption to a minimum. Free-cooling, standard, further increases the seasonal efficiency of the system.

| Models   |                   | AER               |                   |                   |
|--|-------------------|-------------------|-------------------|-------------------|
| Technical data                                     |                   | 024               | 036               | 058               |
| Efficiency rate (1)                                |                   | A/A+              | A/A+              | A/A+              |
| Air flow (min/nom/max)                             | m <sup>3</sup> /h | 300/400/500       | 450/520/620       | 600/800/1000      |
| Maximum external air flow                          | m <sup>3</sup> /h | 0 - 120           | 0 - 180           | 0 - 240           |
| Supply available static pressure                   | Pa                | 160               | 160               | 160               |
| Extraction available static pressure               | Pa                | 160               | 160               | 160               |
| Efficiency   | %                 | 90                | 90                | 90                |
| Heating capacity (min/nom/max) (2)                 | kW                | 2,24/2,89/3,78    | 3,35/3,80/4,65    | 4,48/5,77/7,56    |
| Total cooling capacity (min/nom/max) (3)           | kW                | 2,27/2,92/3,69    | 3,29/3,68/4,47    | 4,54/5,83/7,38    |
| Sensible cooling capacity (min/nom/max) (3)        | kW                | 1,61/2,07/2,62    | 2,43/2,72/3,31    | 3,22/4,14/5,24    |
| Electrical heaters                                 | kW                | 1,0               | 1,5               | 2,0               |
| Sound pressure level at 2 m free field ducted unit | dB(A)             | 40                | 43                | 45                |
| Power supply                                       | V/ph/Hz           | 230/1+N/50        | 230/1+N/50        | 230/1+N/50        |
| Dimensions   | mm                | 1125 x 680 x 250  | 1125 x 680 x 300  | 1545 x 810 x 350  |
| Weight   | Kg                | 27                | 33                | 40                |
| <b>Price List</b>                                  |                   | <b>5.334,00 €</b> | <b>6.699,00 €</b> | <b>8.274,00 €</b> |

- (1) To access class A +, the recovery unit must be equipped with the advanced control and a sensor (humidity or CO<sub>2</sub>), see accessories page
- (2) Water 45 ° C / 40 ° C, inlet air 20 ° C
- (3) Water 7/12 ° C, inlet air 27 ° C

## Options / Accessories AER

| Option  | Code               | AER      |          |          |
|---|--------------------|----------|----------|----------|
|   |                    | 024      | 036      | 058      |
|  Remote user terminal with display complete with temperature and humidity probes + 2 m connection cable <sup>(1)</sup> | <b>41KA000456*</b> | Included |          |          |
| Multi-speed setting   |                    | Included |          |          |
| Turbo mode  |                    | Included |          |          |
| Time-bands program  |                    | Included |          |          |
| Electronic radial fans with brushless and inverter  |                    | Included |          |          |
| Free cooling/Free heating   |                    | Included |          |          |
| Motorised dampers for outside air   |                    | Included |          |          |
| Recovery automatic defrost, or outdoor air temperature lower than -5°C *  | <b>41KA000168</b>  | Included |          |          |
| Timer dirty filters signal  |                    | Included |          |          |
| General fault signal  |                    | Included |          |          |
| Additional temperature and humidity probe on the machine *  |                    | Included |          |          |
| Electrical heaters  |                    | 458,00 € | 458,00 € | 500,00 € |
| High efficiency air filter set *<br>Recirculation, Class ISO Coarse 90% (G4)<br>Extraction, Class ISO Coarse 70% (G2)<br>Renewal, Class ISO ePM <sub>10</sub> 60% (F6)                                  |                    | 142,00 € | 153,00 € | 169,00 € |
| Cable for display connection L. 5 m   | <b>41KA000169</b>  | 90,00 €  |          |          |
| Cable for display connection L. 10 m  | <b>41KA000170</b>  | 116,00 € |          |          |
| Cable for display connection L. 20 m  | <b>41KA000171</b>  | 168,00 € |          |          |
| RS485 ModBus serial port *  | <b>41KA000103</b>  | Included |          |          |
| CO <sub>2</sub> probe *   | <b>41KA000172</b>  | 698,00 € |          |          |
| Replacement standard air filters AER  |                    | 142,00 € | /        | /        |
|   |                    | /        | 142,00 € | /        |
|   |                    | /        | /        | 169,00 € |
| Replacement high efficiency air filters AER<br>Recirculation, Class ISO Coarse 90% (G4)<br>Extraction, Class ISO Coarse 70% (G2)<br>Renewal, Class ISO ePM <sub>10</sub> 60% (F6)                       |                    | 165,00 € | /        | /        |
|   |                    | /        | 165,00 € | /        |
|   |                    | /        | /        | 196,00 € |
| Gabbia in legno *   |                    | 247,00 € | 260,00 € | 292,00 € |

**N.B.** Codes with \* will be included in our machine's code.

## ***Accessories for air sanitization***

---






Jonix technology is based on oxidation induced in the air by gas-plasma or low temperature cold plasma; it exploits the microbicidal action of a mixture of ionizing gases composed of a large quantity of charged particles, such as ions or electrons, reactive oxygen species, molecules and neutral atoms. The Jonix system does not use any chemical substance, but uses the electric current to sanitize the air that is present in the environment to be treated.

In the healthcare field, the gas-plasma methodology is the most advanced for sterilization and is used on medical-surgical devices.

The simplicity and versatility of Jonix technology makes it possible to apply this solution to many applications where the sanitization of objects and surfaces is necessary, so as to eliminate micro-organisms dangerous to health, which may have deposited on them.


This effect makes this technology useful in many areas where health and hygiene aspects are as important as in the biomedical field, in the food industry, in the home, in the field of wastewater treatment and waste treatment, in the field industrial in general or in any area where VOC abatement (volatile organic compounds) is required. The products offered by HiDew consist of plenums, differentiated according to the sanitized air flow rate, to be installed on the supply air channels.

| Description  | Code                                   |                   | Price List |
|--|--|-------------------|------------|
| <p><b>JR 020</b></p>  <p>for air flow<br/>up to 260 mc / h<br/>(1 generator)</p>                  | Inlet/outlet connections, rectangular  | <b>41KA000512</b> | 1.250,00 € |
|  | Inlet/outlet connections, Ø 125 mm     | <b>41KA000534</b> |            |
|  | Inlet/outlet connections, Ø 160 mm     | <b>41KA000486</b> |            |
|  | Inlet/outlet connections, Ø 180 mm     | <b>41KA000517</b> |            |
|  | Inlet/outlet connections, Ø 200 mm     | <b>41KA000518</b> |            |
| <p><b>JR 035</b></p>  <p>for air flow<br/>up to 380 mc / h<br/>(2 generator)</p>                  | Inlet/outlet connections, rectangular  | <b>41KA000513</b> | 1.806,00 € |
|  | Inlet/outlet connections, Ø 160 mm     | <b>41KA000523</b> |            |
|  | Inlet/outlet connections, Ø 180 mm     | <b>41KA000519</b> |            |
| <p><b>JR 050</b></p>  <p>for air flow<br/>up to 520 mc / h<br/>(2 generator)</p>                | Inlet/outlet connections, rectangular  | <b>41KA000515</b> | 1.806,00 € |
|  | Inlet/outlet connections, Ø 180 mm     | <b>41KA000521</b> |            |
|  | Inlet/outlet connections, Ø 200 mm     | <b>41KA000522</b> |            |
|  | Inlet/outlet connections, Ø 250 mm     | <b>41KA000507</b> |            |
| <p><b>JR 100</b></p>  <p>for air flow<br/>up to 1000 mc / h<br/>(1 generator, length 50 cm)</p> | Inlet/outlet connections, rectangular  | <b>41KA000516</b> | 2.930,00 € |
|  | Inlet/outlet connections, 2 x Ø 250 mm | <b>41KA000489</b> |            |


| Description   | Code   | Price List |
|---|--|------------|
|  | Display for autonomous control,<br>with 2 m of connection cable<br><br><b>41KA000546</b> | 368,00 €   |
| Cable for display connection L. 5 m   | <b>41KA000169</b>  | 90,00 €    |
| Cable for display connection L. 10 m  | <b>41KA000170</b>  | 116,00 €   |
| Cable for display connection L. 20 m  | <b>41KA000171</b>  | 168,00 €   |
|  | Replacement kit for generators, 2 pieces (JR 020, JR 050)<br><br><b>41KA000547</b>       | 452,00 €   |
|  | Replacement kit for generators, 1 piece, 50 cm (JR 100)<br><br><b>41KA000548</b>         | 735,00 €   |




## Supply and recovery air plenums ceiling mounting

| Description  | Code  |                   | Price List |
|--|---|-------------------|------------|
| <p>Supply and recovery galvanized steel air plenums, with internal insulation, sound absorbent and thermal insulated with circular connections</p>  <p><i>(all the secondary connections are manufactured in PP)</i></p> | 8 connections Ø 63mm for pipes 75<br>1 connection Ø 125 mm  | <b>41KA000576</b> | 293,00 €   |
|  | 8 connections Ø 63mm for pipes 75<br>1 connection Ø 160 mm  | <b>41KA000577</b> | 293,00 €   |
|  | 8 connections Ø 63mm for pipes 75<br>1 connection Ø 180 mm  | <b>41KA000578</b> | 296,00 €   |
|  | 8 connections Ø 63mm for pipes 75<br>1 connection Ø 200 mm  | <b>41KA000579</b> | 306,00 €   |
|  | 8 connections Ø 75mm for pipes 90<br>1 connection Ø 125 mm  | <b>41KA000580</b> | 293,00 €   |
|  | 8 connections Ø 75mm for pipes 90<br>1 connection Ø 160 mm  | <b>41KA000581</b> | 293,00 €   |
|  | 8 connections Ø 75mm for pipes 90<br>1 connection Ø 180 mm  | <b>41KA000582</b> | 296,00 €   |
|  | 8 connections Ø 75mm for pipes 90<br>1 connection Ø 200 mm  | <b>41KA000583</b> | 306,00 €   |
|  | 12 connections Ø 63mm for pipes 75<br>1 connection Ø 125 mm | <b>41KA000584</b> | 351,00 €   |
|  | 12 connections Ø 63mm for pipes 75<br>1 connection Ø 160 mm | <b>41KA000585</b> | 351,00 €   |
|  | 12 connections Ø 63mm for pipes 75<br>1 connection Ø 180 mm | <b>41KA000586</b> | 354,00 €   |
|  | 12 connections Ø 63mm for pipes 75<br>1 connection Ø 200 mm | <b>41KA000587</b> | 364,00 €   |
|  | 12 connections Ø 75mm for pipes 90<br>1 connection Ø 125 mm | <b>41KA000588</b> | 351,00 €   |
|  | 12 connections Ø 75mm for pipes 90<br>1 connection Ø 160 mm | <b>41KA000589</b> | 351,00 €   |
|  | 12 connections Ø 75mm for pipes 90<br>1 connection Ø 180 mm | <b>41KA000590</b> | 354,00 €   |
|  | 12 connections Ø 75mm for pipes 90<br>1 connection Ø 200 mm | <b>41KA000591</b> | 364,00 €   |

## Supply and recovery air plenums

| Descrizione  | Codice articolo   |                   | Listino  |
|--|---|-------------------|----------|
| <p>Supply and recovery galvanized steel air plenums, with internal insulation, sound absorbent and thermal insulated with circular connections</p>  <p><i>(all the secondary connections are manufactured in PP)</i></p> | 6 connections Ø 63mm for pipes 75<br>1 connection Ø 125 mm  | <b>41KA000658</b> | 195,00 € |
|  | 6 connections Ø 63mm for pipes 75<br>1 connection Ø 160 mm  | <b>41KA000656</b> | 195,00 € |
|  | 6 connections Ø 75mm for pipes 90<br>1 connection Ø 125 mm  | <b>41KA000659</b> | 195,00 € |
|  | 6 connections Ø 75mm for pipes 90<br>1 connection Ø 160 mm  | <b>41KA000657</b> | 195,00 € |
|  | 8 connections Ø 63mm for pipes 75<br>1 connection Ø 125 mm  | <b>41KA000592</b> | 293,00 € |
|  | 8 connections Ø 63mm for pipes 75<br>1 connection Ø 160 mm  | <b>41KA000593</b> | 293,00 € |
|  | 8 connections Ø 63mm for pipes 75<br>1 connection Ø 180 mm  | <b>41KA000594</b> | 296,00 € |
|  | 8 connections Ø 63mm for pipes 75<br>1 connection Ø 200 mm  | <b>41KA000595</b> | 306,00 € |
|  | 8 connections Ø 75mm for pipes 90<br>1 connection Ø 125 mm  | <b>41KA000596</b> | 293,00 € |
|  | 8 connections Ø 75mm for pipes 90<br>1 connection Ø 160 mm  | <b>41KA000597</b> | 293,00 € |
|  | 8 connections Ø 75mm for pipes 90<br>1 connection Ø 180 mm  | <b>41KA000598</b> | 296,00 € |
|  | 8 connections Ø 75mm for pipes 90<br>1 connection Ø 200 mm  | <b>41KA000599</b> | 306,00 € |
|  | 12 connections Ø 63mm for pipes 75<br>1 connection Ø 125 mm | <b>41KA000600</b> | 351,00 € |
|  | 12 connections Ø 63mm for pipes 75<br>1 connection Ø 160 mm | <b>41KA000601</b> | 351,00 € |
|  | 12 connections Ø 63mm for pipes 75<br>1 connection Ø 180 mm | <b>41KA000602</b> | 354,00 € |
|  | 12 connections Ø 63mm for pipes 75<br>1 connection Ø 200 mm | <b>41KA000603</b> | 364,00 € |
|  | 12 connections Ø 75mm for pipes 90<br>1 connection Ø 125 mm | <b>41KA000604</b> | 351,00 € |
|  | 12 connections Ø 75mm for pipes 90<br>1 connection Ø 160 mm | <b>41KA000605</b> | 351,00 € |
|  | 12 connections Ø 75mm for pipes 90<br>1 connection Ø 180 mm | <b>41KA000606</b> | 354,00 € |
| 12 connections Ø 75mm for pipes 90<br>1 connection Ø 200 mm  | <b>41KA000607</b>   | 364,00 €          |          |

| Description   | Code  |                   | Price List |
|---|---|-------------------|------------|
| <p>Supply and recovery galvanized steel air plenums, with internal insulation, sound absorbent and thermal insulated with circular connections</p>  <p><i>(all the secondary connections are manufactured in PP)</i></p> | 16 connections Ø 63mm for pipes 75<br>1 connection Ø 180 mm | <b>41KA000608</b> | 375,00 €   |
|   | 16 connections Ø 63mm for pipes 75<br>1 connection Ø 200 mm | <b>41KA000609</b> | 380,00 €   |
|   | 16 connections Ø 63mm for pipes 75<br>1 connection Ø 250 mm | <b>41KA000610</b> | 391,00 €   |
|   | 16 connections Ø 75mm for pipes 90<br>1 connection Ø 180 mm | <b>41KA000611</b> | 375,00 €   |
|   | 16 connections Ø 75mm for pipes 90<br>1 connection Ø 200 mm | <b>41KA000612</b> | 380,00 €   |
|   | 16 connections Ø 75mm for pipes 90<br>1 connection Ø 250 mm | <b>41KA000613</b> | 391,00 €   |

## Silencer

| Description  | Code   |                   | Price List |
|--|--|-------------------|------------|
| <p>Silenced plenum for air supply and recovery in galvanized steel, with internal insulation, sound absorbent and thermal insulated, with circular connections</p>  <p><i>(all the secondary connections are manufactured in PP)</i></p> | 12 connections Ø 63mm for pipes 75<br>1 connection Ø 125mm L 1 m   | <b>41KA000614</b> | 477,00 €   |
|  | 12 connections Ø 63mm for pipes 75<br>1 connection Ø 160mm L 1 m   | <b>41KA000615</b> | 524,00 €   |
|  | 12 connections Ø 63mm for pipes 75<br>1 connection Ø 180mm L 1 m   | <b>41KA000616</b> | 582,00 €   |
|  | 12 connections Ø 63mm for pipes 75<br>1 connection Ø 200mm L 1 m   | <b>41KA000617</b> | 608,00 €   |
|  | 12 connections Ø 75mm for pipes 90<br>1 connection Ø 125mm L 1 m   | <b>41KA000618</b> | 477,00 €   |
|  | 12 connections Ø 75mm for pipes 90<br>1 connection Ø 160mm L 1 m   | <b>41KA000619</b> | 524,00 €   |
|  | 12 connections Ø 75mm for pipes 90<br>1 connection Ø 180mm L 1 m   | <b>41KA000620</b> | 582,00 €   |
|  | 12 connections Ø 75mm for pipes 90<br>1 connection Ø 200mm L 1 m   | <b>41KA000621</b> | 608,00 €   |
|  | 16 connections Ø 63mm for pipes 75<br>1 connection Ø 250mm L 1,1 m | <b>41KA000622</b> | 627,00 €   |
|  | 16 connections Ø 75mm for pipes 90<br>1 connection Ø 250mm L 1,1 m | <b>41KA000623</b> | 627,00 €   |
| <p>High performance silencer for connection with flexible pipes</p>   | Dim. mm 200 x 200 x L. 1000 Ø 125mm                                | <b>41KA000160</b> | 328,00 €   |
|  | Dim. mm 240 x 240 x L. 1000 Ø 160mm                                | <b>41KA000161</b> | 394,00 €   |
|  | Dim. mm 280 x 280 x L. 1000 Ø 180mm                                | <b>41KA000162</b> | 459,00 €   |
|  | Dim. mm 280 x 280 x L. 1000 Ø 200mm                                | <b>41KA000193</b> | 491,00 €   |
|  | Dim. mm 330 x 330 x L.1000 Ø 250mm                                 | <b>41KA000287</b> | 523,00 €   |

## Wall and ceiling plenums

| Description   | Code   | Price List        |          |
|---|--|-------------------|----------|
| Wall plenum kit for grille design 3, L.400mm, lowered   |  |                   |          |
|  <p>(all the secondary connections are manufactured in PP)</p>          | L.400mm, 1 connection for pipe Ø 63/75mm   | <b>41KA000624</b> | 158,00 € |
|   | L.400mm, 1 connection for pipe Ø 75/90mm   | <b>41KA000625</b> | 158,00 € |
|   | L.400mm, 2 connections for pipe Ø 63/75mm  | <b>41KA000626</b> | 158,00 € |
|   | L.400mm, 2 connections for pipe Ø 75/90mm  | <b>41KA000627</b> | 158,00 € |
|   | L.600mm, 2 connections for pipe Ø 63/75mm  | <b>41KA000628</b> | 198,00 € |
|   | L.600mm, 2 connections for pipe Ø 75/90mm  | <b>41KA000629</b> | 198,00 € |
|   | L.600mm, 3 connections for pipe Ø 63/75mm  | <b>41KA000630</b> | 231,00 € |
|   | L.600mm, 3 connections for pipe Ø 75/90mm  | <b>41KA000631</b> | 231,00 € |
| Reversible ABS plenums (in line and 90 degrees installation), height adjustable from 0 mm to 50 mm  |  |                   |          |
|  <p>(For grille L x H: 300 x 100 mm)<br/>(Brackets not included)</p> | Plenum ABS 300L rev. 1-2 connection 63mm<br>(tube Ø 75 mm) *   | <b>41KA000551</b> | 72,00 €  |
|   | Plenum ABS 300L rev.1-2 connection 75mm<br>(tube Ø 90 mm) *  | <b>41KA000552</b> |          |
|  <p>(For grille L x H: 400 x 100 mm)<br/>(Brackets not included)</p> | Plenum ABS 400L rev.3 connection 63mm<br>(tube Ø 75 mm) *  | <b>41KA000553</b> | 97,00 €  |
|   | Plenum ABS 400L rev.3 connection 75mm<br>(tube Ø 90 mm) *  | <b>41KA000554</b> |          |
|    | Plenum closure L x H: 300 x 100 mm   | <b>HD55000073</b> | 13,00 €  |
|   | Plenum closure L x H: 400 x 100 mm   | <b>HD55000074</b> | 16,00 €  |
|    | Plenum bracket couple, for height adjustment* between the ceiling and countertop:<br><br>- Minimum height 90 mm<br>- Maximum height 300 mm | <b>41KA000545</b> | 35,00 €  |

## Supply air grilles

| Description   | Code                                       | Price List                 |
|---|--|----------------------------|
| Supply air grilles with a sophisticated design, to be combined with plenums:        |  |                            |
|    | Aluminium grille L 300mm                   | <b>41KA000124</b> 40,00 €  |
|   | Aluminium grille L. 400mm                  | <b>41KA000125</b> 47,00 €  |
|    | Grille in RAL 9010 L.300mm                 | <b>41KA000228</b> 53,00 €  |
|   | Grille in RAL 9010 L.400mm                 | <b>41KA000229</b> 62,00 €  |
|    | Glazed steel grille L.300mm                | <b>41KA000073</b> 70,00 €  |
|   | Glazed steel grille L.400mm                | <b>41KA000074</b> 79,00 €  |
|   | Grille design 0, L.300mm, RAL 9010         | <b>41KA000219</b> 38,00 €  |
|   | Grille design 0, L.400mm, RAL 9010         | <b>41KA000220</b> 44,00 €  |
|  | Grille design 1, L.300mm, RAL 9010         | <b>41KA000245</b> 38,00 €  |
|   | Grille design 1, L.400mm, RAL 9010         | <b>41KA000249</b> 47,00 €  |
|  | Grille design 2, L.300mm, RAL 9010         | <b>41KA000246</b> 50,00 €  |
|   | Grille design 2, L.400mm, RAL 9010         | <b>41KA000250</b> 63,00 €  |
|  | Grille design 3, L.400mm, lowered RAL 9010 | <b>41KA000247</b> 63,00 €  |
|   | Grille design 3, L.600mm, lowered RAL 9010 | <b>41KA000267</b> 88,00 €  |
|  | External grille in INOX                    | <b>41KA000243</b> 152,00 € |
|   | External grille in INOX (RER 100)          | <b>41KA000290</b> 168,00 € |

## Recovery air grilles with filter

| Description  | Code  | Price List                 |
|--|---|----------------------------|
| Recovery air grilles with a sophisticated design, complete with filters to be combined with plenums: |   |                            |
|                     | Aluminium grille L.300mm with filter                    | <b>41KA000254</b> 65,00 €  |
|  | Aluminium grille L.400mm with filter                    | <b>41KA000255</b> 69,00 €  |
|                     | Grille in RAL 9010 L.300mm with filter                  | <b>41KA000429</b> 86,00 €  |
|  | Grille in RAL 9010 L.400mm with filter                  | <b>41KA000450</b> 101,00 € |
|                    | Glazed steel grille L.300mm with filter                 | <b>41KA000256</b> 95,00 €  |
|  | Glazed steel grille L.400mm with filter                 | <b>41KA000257</b> 104,00 € |
|                   | Grille design 0, L.300mm, RAL 9010 with filter          | <b>41KA000264</b> 63,00 €  |
|  | Grille design 0, L.400mm, RAL 9010 with filter          | <b>41KA000265</b> 69,00 €  |
|                   | Grille design 1, L.300mm, RAL 9010 with filter          | <b>41KA000258</b> 63,00 €  |
|  | Grille design 1, L.400mm, RAL 9010 with filter          | <b>41KA000261</b> 74,00 €  |
|                   | Grille design 2, L.300mm, RAL 9010 with filter          | <b>41KA000259</b> 76,00 €  |
|  | Grille design 2, L.400mm, RAL 9010 with filter          | <b>41KA000262</b> 88,00 €  |
|                   | Grille design 3, L.400mm, lowered, RAL 9010 with filter | <b>41KA000260</b> 88,00 €  |
|  | Grille design 3, L.600mm, lowered, RAL 9010 with filter | <b>41KA000268</b> 120,00 € |
|                   | External grill in INOX with filter                      | <b>41KA000263</b> 184,00 € |
|  | External grill in INOX with filter (RER 100)            | <b>41KA000294</b> 200,00 € |

| Description  | Code  | Price List        |
|--|---|-------------------|
| <p>"T" plenum in galvanized steel, with internal insulation, sound absorbent and thermal insulated with circular connection, available in the following diameters, for connection with flexible pipes:</p> |   |                   |
|   | 3 connections Ø 125mm   | <b>41KA000143</b> |
|  | 3 connections Ø 160mm   | <b>41KA000144</b> |
|  | 3 connections Ø 180mm   | <b>41KA000145</b> |
|  | 3 connections Ø 200mm   | <b>41KA000146</b> |
| <p>318,00 €</p> <p>321,00 €</p> <p>331,00 €</p>  |   |                   |
| <p>Water coil ducted in galvanized steel with thermal insulation and sound absorbent, complete with drain box for the condensation discharge:</p>  |   |                   |
|   | 1 connection Ø 125mm(air flow 250 m <sup>3</sup> /h)            | <b>41KA000091</b> |
|  | 1 connection Ø 160mm(air flow 250 m <sup>3</sup> /h)            | <b>41KA000092</b> |
|  | 1 connection Ø 180mm(air flow 250 m <sup>3</sup> /h)            | <b>41KA000075</b> |
|  | 1 connection Ø 160mm(air flow 500 m <sup>3</sup> /h)            | <b>41KA000028</b> |
|  | 1 connection Ø 180mm(air flow 500 m <sup>3</sup> /h)            | <b>41KA000029</b> |
|  | 1 connection Ø 200mm(air flow 500 m <sup>3</sup> /h)            | <b>41KA000093</b> |
| <p>863,00 €</p> <p>978,00 €</p>  |   |                   |
| <p>Supply and recovery plenums for ceiling, in galvanized steel, with thermal insulation and sound absorbent:</p>  |   |                   |
| <br>(supply / extraction Ø 125 mm)  | 1 connection PP 63 mm (pipe Ø 75 mm)                            | <b>41KA000632</b> |
|  | 1 connection PP 75 mm (pipe Ø 90 mm)                            | <b>41KA000633</b> |
| <p>112,00 €</p> <p>112,00 €</p>  |   |                   |
| <br>(supply / extraction Ø 125 mm)  | 2 connections PP 63 mm (pipe Ø 75 mm)                           | <b>41KA000634</b> |
|  | 2 connections PP 75 mm (pipe Ø 90 mm)                           | <b>41KA000635</b> |
| <p>129,00 €</p> <p>129,00 €</p>  |   |                   |
|   | Ventilation valve for air recovery with adjustable jet Ø 125 mm | <b>41KA000126</b> |
| <p>20,00 €</p>   |   |                   |
| <p>Flange for inlet/outlet of fresh air, for connection with flexible pipes diam. 125/160/180/200/250 mm:</p>  |   |                   |
|   | Flange Ø 125 mm   | <b>41KA000147</b> |
|  | Flange Ø 160 mm   | <b>41KA000148</b> |
|  | Flange Ø 180 mm   | <b>41KA000149</b> |
|  | Flange Ø 200 mm   | <b>41KA000150</b> |
|  | Flange Ø 250 mm   | <b>41KA000289</b> |
| <p>66,00 €</p> <p>71,00 €</p> <p>87,00 €</p> <p>95,00 €</p>  |   |                   |



## Pipes

| Description  | Code  | Price List                    |
|--|---|-------------------------------|
| Flexible pipes with thermo-insulation and polyester mattress:  |   |                               |
| <br><br>Lot of 10 m   | Pipe diam. mm 125                           | <b>HD55000023</b> 18,50 € / m |
|  | Pipe diam. mm 160                           | <b>HD55000024</b> 20,50 € / m |
|  | Pipe diam. mm 180                           | <b>HD55000026</b> 25,00 € / m |
|  | Pipe diam. mm 200                           | <b>HD55000025</b> 27,00 € / m |
|  | Pipe diam. mm 250                           | <b>HD55000040</b> 33,50 € / m |
| Antimicrobial, antistatic and self-extinguishing polyethylene pipe                                     |   |                               |
| <br><br>Lot of 50 m | Diameter internal 63mm /<br>external 75mm   | <b>HD55000022</b> 4,80 € / m  |
|  | Diameter internal 75mm /<br>external 90mm   | <b>HD55000039</b> 6,90 € / m  |
| Accessories for antimicrobial, antistatic and self-extinguishing polyethylene pipe                     |   |                               |
|                     | Pipe connection Ø int. 63mm /<br>Øest. 75mm | <b>HD55000035</b> 4,70 €      |
|                     | Pipe connection Ø int. 75mm /<br>Øest. 90mm | <b>HD55000077</b> 5,00 €      |

HiDew  
Dehumidifiers 