

## Price list 2021 Residential Range

- Dehumidifiers
- Dehumidifiers with heat recovery
- Heat recovery units
- Air distribution accessories
- Jonix sanitization



























## General sales conditions

The prices indicated have to be considered as Ex Works.

For specific and/or special quotations, please contact our Sales Dept.

Lead times have to be agreed, together with special conditions, when the order is placed.

Ordered products can be collected the following day if they are in stock.

Products can only be collected in the afternoon. For special necessities, please arrange the times when ordering.

Orders of below €200.00, net price, will not be handled.

Standard warranty: 12 months from the invoicing.

For any further information feel free to contact our Depts.



## Accessories for air sanitization







Jonix technology is based on oxidation induced in the air by gas-plasma or low temperature cold plasma; it exploits the microbicidal action of a mixture of ionizing gases composed of a large quantity of charged particles, such as ions or electrons, reactive oxygen species, molecules and neutral atoms. The Jonix system does not use any chemical substance, but uses the electric current to sanitize the air that is present in the environment to be treated.

In the healthcare field, the gas-plasma methodology is the most advanced for sterilization and is used on medical-surgical devices.

The simplicity and versatility of Jonix technology makes it possible to apply this solution to many applications where the sanitization of objects and surfaces is necessary, so as to eliminate microorganisms dangerous to health, which may have deposited on them.

This effect makes this technology useful in many areas where health and hygiene aspects are as important as in the biomedical field, in the food industry, in the home, in the field of wastewater treatment and waste treatment, in the field industrial in general or in any area where VOC abatement (volatile organic compounds) is required. The products offered by HiDew consist of plenums, differentiated according to the sanitized air flow rate, to be installed on the supply air channels.



Description	Code		Price List
for air flow up to 260 mc / h (1 generator)	Inlet/outlet connections, rectangular	41KA000512	1.250,00€
	Inlet/outlet connections, Ø 125 mm	41KA000534	
	Inlet/outlet connections, Ø 160 mm	41KA000486	
	Inlet/outlet connections, Ø 180 mm	41KA000517	
	Inlet/outlet connections, Ø 200 mm	41KA000518	
JR 035	Inlet/outlet connections, rectangular	41KA000513	
	Inlet/outlet connections, Ø 160 mm	41KA000523	1.806,00€
for air flow up to 380 mc / h (2 generator)	Inlet/outlet connections, Ø 180 mm	41KA000519	
for air flow up to 520 mc / h (2 generator)	Inlet/outlet connections, rectangular	41KA000515	1.806,00€
	Inlet/outlet connections, Ø 180 mm	41KA000521	
	Inlet/outlet connections, Ø 200 mm	41KA000522	
	Inlet/outlet connections, Ø 250 mm	41KA000507	
for air flow up to 1000 mc / h (1 generator, length 50 cm)	Inlet/outlet connections, rectangular	41KA000516	- 2.930,00€
	Inlet/outlet connections, 2 x Ø 250 mm	41KA000489	



Description	Code		Price List
	Display for autonomous control, with 2 m of connection cable	41KA000546	368,00 €
Cable for display connection L. 5 m		41KA000169	90,00€
Cable for display connection L.	10 m	41KA000170	116,00€
Cable for display connection L. 20 m		41KA000171	168,00 €
	Replacement kit for generators, 2 pieces (JR 020, JR 050)	41KA000547	452,00 €
	Replacement kit for generators, 1 piece, 50 cm (JR 100)	41KA000548	735,00 €



